


Cable Management

Contents

| | |
|---------------------------------|-----------|
| Adapatable Boxes | 188 |
| Floor Boxes | 188 - 189 |
| Catenary Wire Systems | 190 |
| Plastic Cable Management | 191 - 193 |
| 3 Compartment Trunking | 194 |
| Flexible Conduit | 194 |
| Steel Conduit & Fittings | 195 - 197 |
| Steel Cable Trays & Accessories | 198 |
| Steel Trunking & Accessories | 199 - 200 |
| Steel Support Systems | 201 - 202 |



Cable Management

ADAPTABLE & MOULDED BOXES & FLOOR BOXES



ADAPTABLE BOXES



Pre Galvanised / Black Enamel

BS4568 Part 2. Choice of Plain sides or Knockout type.

| Description | Box Dimensions (mm) | Ref No. | Order No. 0001 |
|-------------|---------------------|---------|----------------|
|-------------|---------------------|---------|----------------|

Hot Dipped Galvanised Finish

| | | | |
|-----------|------------------|------------|--------|
| Knockouts | 75 x 75 x 50 | SSGKO3320 | 117853 |
| Knockouts | 100 x 100 x 37.5 | SSGKO4415 | 117879 |
| Knockouts | 100 x 100 x 50 | SSGKO4420 | 117866 |
| Knockouts | 150 x 100 x 50 | SSGKO4444 | 117895 |
| Plain | 100 x 100 x 50 | SSGKPS4420 | 117882 |

Black Enamel Finish

| | | | |
|-----------|------------------|-----------|--------|
| Knockouts | 75 x 75 x 50 | SSBKO3320 | 117905 |
| Knockouts | 100 x 100 x 37.5 | SSBKO4415 | 117921 |
| Knockouts | 100 x 100 x 50 | SSBKO4420 | 117918 |
| Knockouts | 150 x 100 x 50 | SSBKO4444 | 117947 |
| Plain | 100 x 100 x 50 | SSBPS4420 | 117934 |



Moulded Enclosures & Accessories

Surface mounted IP56 rated.

Weatherproof moulded enclosure with plain sides.

For electrical and electronic components.

Medium, heat resistant polymer to 75°C.

Galvanised metal bottom mounting plates c/w self tapping screws.

| Box Dimensions (mm) | Ref No. | Order No. 0001 |
|---------------------|---------|----------------|
|---------------------|---------|----------------|

Boxes

| | | |
|-----------------|--------|--------|
| 100 x 100 x 60 | S93094 | 139954 |
| 120 x 80 x 60 | S93093 | 139967 |
| 150 x 110 x 70 | S93095 | 139970 |
| 190 x 140 x 70 | S93096 | 139983 |
| 240 x 190 x 90 | S93097 | 139996 |
| 300 x 220 x 120 | S93098 | 140008 |
| 380 x 300 x 120 | S93099 | 140011 |

Mounting Plates

| Fits Box | Ref No. | Order No. 0001 |
|----------|---------|----------------|
| S93096 | S93396 | 140024 |
| S93097 | S93397 | 140037 |
| S93098 | S93398 | 140040 |
| S93099 | S93399 | 140053 |

FLOOR BOXES - CAVITY

Manufactured from galvanised steel.

25 & 20mm knockouts punched to accept flexible conduit.

2, 3 and 4 compartment configuration.

Easy grip recessed lifting handle.

Clamp fixing for fast installation.



4 Compartment Cavity Box

4 Comp standard floor box cut out: 305mm (L) x 225mm (W).

Box comes complete with two plates fitted with a twin switched socket outlet, two knockout plates for 4 x RJ45/LJ6C's data modules.

Twin sockets have dual earth terminals.

| Description | Ref No. | Order No. 0001 |
|----------------------------|---------|----------------|
| Cavity Box and Accessories | STAFB4D | 122330 |



4 Compartment Accessories for STAFB4D

Twin sockets have dual earth terminals.

| Description | Ref No. | Order No. 0001 |
|---|-----------|----------------|
| Plate Fitted with 13A Switched Sockets | ST0290 | 146701 |
| Righ Hand/Left Hand | ST0290/LH | 146714 |
| Blank Plate | ST0282 | 121496 |
| Pre-Punched Plate for 4 x LJ6C's Modules | ST0285 | 121506 |
| Pre-Punched Plate for 6 x RJ45/LJ6C's Modules | ST0280 | 146688 |

Cable Management

FLOOR BOXES



SECTOR

Compact Cavity Floor Box

Innovative, space saving design.

Box comes complete with:

- 1 x twin switched socket outlet.
- 1 x LJ6C data plate.
- 1 x blank plate (3 compartment).

| Description | Ref No. | Order No. |
|--|---------|-----------|
| 2 Compartment Cavity Box and Accessories | STAFB2S | 136287 |
| 3 Compartment Cavity Box and Accessories | STAFB3S | 121331 |

SECTOR

Accessories for STAFB2S & STAFB3S

Twin sockets have dual earth terminals.

| Description | Ref No. | Order No. |
|--|---------|-----------|
| 13A Twin Switched Sockets | ST0300 | 121360 |
| Blank Plate | ST0301 | 121373 |
| Pre-Punched Plate for 4 x LJ6C's Modules | ST0302 | 121386 |
| 2 Euro Standard 50 x 50mm Plate | ST0304 | 121409 |
| Pre-Punched Plate for 6 x LJ6C's Modules | ST0306 | 146691 |

Modules

Available in both popular module sizes 25x50 and 25 x 38 (LJ6C). RJ45 available in CAT5E and CAT6.

BT Jack available in PBX Master and Secondary.

| Description | Ref No. | Order No. |
|--|-------------|-----------|
| CAT5E | | 0004 |
| Module (RJ45) CAT5E UTP 25 x 50 | MOD-C5E2550 | 000093 |
| Module (RJ45) CAT5E UTP 25 x 38 (LJ6C) | MOD-C5E2538 | 000103 |

| Description | Ref No. | Order No. |
|--------------------------------|------------|-----------|
| CAT6 | | 1360 |
| Module (RJ45) CAT6 UTP 25 x 50 | 9CL1205261 | 991081 |
| Module (RJ45) CAT6 UTP 25 x 38 | 9CL1205221 | 990969 |

| Description | Size | Ref No. | Order No. |
|---------------------------|------------------|-------------|-----------|
| Telephone | | | 0004 |
| Module PBX Master 25 x 50 | - | MOD-BTM2550 | 000116 |
| Module Secondary 25 x 50 | - | MOD-BTS2550 | 000129 |
| Module Blank (1/2) | 12.5 x 50 Pack 2 | MOD-BLK1250 | 000145 |
| Module Blank (1) | 25 x 50 Pack 2 | MOD-BLK2550 | 000132 |

SECTOR

Snapfit Rubber Cable Protectors

Low smoke, non toxic and low fume emission levels in the event of a fire.

Fire retardant to BS476 Part 7 Class 3.

Tested for non-conductivity to BS 903-C5, 500.

Three alternatives, available in black, in 4.5m lengths.

| Description | Ref No. | Order No. |
|-----------------------|---------|-----------|
| Snapfit Type Standard | SCPS1 | 146099 |
| Snapfit Type B | SCPS2 | 146086 |
| Snapfit Type BNC2 | SCPS3 | 146109 |

Cable Management

CATENARY WIRE SYSTEMS



SECTOR

Catenary Wire - 3mm Gauge

Galvanised Mild Steel.
7 Wire Strand.
30, 50, 100 Metre Coil Lengths.

| Description | Ref No. | Order No. 0001 |
|---------------------------|---------|-------------------|
| 30m Coil Galv. Rope Wire | SCW330 | 124891 |
| 50m Coil Galv. Rope Wire | SCW350 | 124888 |
| 100m Coil Galv. Rope Wire | SCW3100 | 124875 |

SECTOR

Catenary Wire Rope Grips

Galvanised Mild Steel.

| Description | Ref No. | Order No. 0001 |
|--------------------|---------|-------------------|
| 3mm Wire Rope Grip | SCWGR | 124901 |

SECTOR

Straining Screws with Hook & Eye

Galvanised Mild Steel.

| Description | Ref No. | Order No. 0001 |
|---------------------|---------|-------------------|
| 6mm Straining Screw | SCWSH | 124914 |

SECTOR

Straining Eyebolts with Nut & Washer

Galvanised Mild Steel.

| Description | Ref No. | Order No. 0001 |
|-------------------------------|---------|-------------------|
| 150mm x 6mm Straining Eyebolt | SCWTB | 124930 |

SECTOR

Catenary Thimble

Galvanised Mild Steel.

| Description | Ref No. | Order No. 0001 |
|-------------|---------|-------------------|
| 4mm Thimble | SCWTH | 124927 |

SECTOR

Catenary Wall Plate

Galvanised Mild Steel.

| Description | Ref No. | Order No. 0001 |
|------------------------|---------|-------------------|
| 50mm x 50mm Wall Plate | SCWAP | 124943 |

SECTOR

Rawhide Suspender

Galvanised Mild Steel Hook.

| Description | Ref No. | Order No. 0001 |
|------------------------|---------|-------------------|
| 150mm - Universal Size | SCWRS | 124956 |

SECTOR

Safety Plates

A galvanised steel plate with its own fixings. Protects wires and pipes hidden in floors, walls and ceilings.

Simple, inexpensive, easy and quick to fit.

No screws or nails needed. One piece assembly.

Assists with compliance to IEE regulations.

Meets NHBC requirements specified by councils and architects.

| Description | Ref No. | Order No. 0001 |
|---------------------------|---------|-------------------|
| Pack of 100 - 52mm x 76mm | SSP1 | 124846 |
| Pack of 50 - 52mm x 152mm | SSP2 | 124859 |
| Pack of 75 - 52mm x 100mm | SSP3 | 124862 |

Cable Management

PLASTIC CABLE MANAGEMENT



PLASTIC CABLE MANAGEMENT - CONDUITS

Sector PVC conduit and channelling offers a cost effective solution for both new building and refurbishment contracts.

The wide range of accessories means that almost any installation can be specified with confidence.

Wide range of sections and sizes.

Oval, round and corrugated sections are compatible
Simple and fast installation.

Very wide range of components maximises versatility of application.

Very durable and impact resistant.

3 sizes of oval and channelling for complete installation flexibility.

2 grades of round conduit to suit various site conditions.



White Oval Conduit

Sector Oval conduit is generally used for switch drops and general domestic installations in both buried and surface installations. It is manufactured in accordance with requirements of BS 4607. Part 5.

3 metre length. Packed in bundles of 50.

| Description | Size (mm) | Ref No. | Order No. 0001 |
|--------------|-----------|---------|----------------|
| Oval Conduit | 16 x 10 | SOC006 | 993695 |
| Oval Conduit | 20 x 11 | SOC075 | 993776 |
| Oval Conduit | 25 x 11 | SOC100 | 993705 |



PVC Channelling

Sector PVC channelling is used for switch drops and general domestic installations mainly in carcass situations. Manufactured in accordance with requirements of BS 4607, Part 5.

2 metre length. Packed in bundles of 50.

| Description | Size (mm) | Ref No. | Order No. 0001 |
|-------------|-----------|---------|----------------|
| Channel | 12 | SPCG005 | 993718 |
| Channel | 25 | SPCG100 | 993721 |
| Channel | 38 | SPCG150 | 993734 |



Round Conduit Heavy Grade

Sector heavy gauge round Conduit is a Premium PVCu conduit and is designed to withstand the most arduous site conditions and extremes of weather.

Temperature range -25°C to +60°C. Complies with BS 6099 Section 2.2

Heavy Mechanical Stress, BS 4607: Part 1:Type B.
3 metre length. Packed in bundles of 30.

| Description | Colour | Ref No. | Order No. 0001 |
|-------------|--------|-----------|----------------|
| 20mm | White | SRCH20WHI | 143940 |
| 20mm | Black | SRCH20BLK | 143953 |
| 25mm | White | SRCH25WHI | 143966 |
| 25mm | Black | SRCH25BLK | 143979 |



Round Conduit Light Grade

Sector light gauge Conduit is suitable for applications where heavy compressive strength is not required. The high impact characteristic combined with the lighter gauge provides excellent physical properties for flush and surface applications.

Temperature range -25°C to +60°C. Complies with BS 6099 Section 2.2

Medium Mechanical Stress. BS 4607.Type B.
3 metre length. Packed in bundles of 30.

| Description | Colour | Ref No. | Order No. 0001 |
|-------------|--------|-----------|----------------|
| 20mm | White | SRCL20WHI | 143924 |
| 25mm | White | SRCL25WHI | 143937 |



Cable Management

PLASTIC CABLE MANAGEMENT

SECTOR


Round Conduit Accessories

| Description | Colour | Ref No. | Order No. 0001 |
|--|--------|-----------|----------------|
| Couplings | | | |
| 20mm | Black | SPC20BLK | 144240 |
| 20mm | White | SPC20WHI | 144020 |
| 25mm | Black | SPC25BLK | 144350 |
| 25mm | White | SPC25WHI | 144130 |
| Heavy Gauge Bend with Couplings | | | |
| 20mm | Black | SPB20BLK | 144305 |
| 20mm | White | SPB20WHI | 144088 |
| 25mm | Black | SPB25BLK | 144402 |
| 25mm | White | SPB25WHI | 144185 |
| Klick Fit Inspection Elbows | | | |
| 20mm | Black | SKIE20BLK | 144295 |
| 20mm | White | SKIE20WHI | 144075 |
| Klick Fit Spacer Bar Saddles | | | |
| 20mm | Black | SKSS20BLK | 144211 |
| 20mm | White | SKSS20WHI | 143995 |
| 25mm | Black | SKSS25BLK | 144321 |
| 25mm | White | SKSS25WHI | 144101 |
| Spacer Bar Saddles | | | |
| 20mm | Black | SSBS20BLK | 144208 |
| 20mm | White | SSBS20WHI | 143982 |
| 25mm | Black | SSBS25BLK | 144318 |
| 25mm | White | SSBS25WHI | 144091 |
| Terminal Boxes | | | |
| 20mm | Black | SBX201BLK | 144253 |
| 20mm | White | SBX201WHI | 144033 |
| 25mm | Black | SBX251BLK | 144363 |
| 25mm | White | SBX251WHI | 144143 |
| Through Boxes | | | |
| 20mm | Black | SBX202BLK | 144266 |
| 20mm | White | SBX202WHI | 144046 |
| 25mm | Black | SBX252BLK | 144376 |
| 25mm | White | SBX252WHI | 144156 |
| Angle Boxes | | | |
| 20mm | Black | SBX20ABLK | 144279 |
| 20mm | White | SBX20AWHI | 144059 |
| 25mm | Black | SBX25ABLK | 144389 |
| 25mm | White | SBX25AWHI | 144169 |
| Tee Boxes | | | |
| 20mm | Black | SBX203BLK | 144282 |
| 20mm | White | SBX203WHI | 144062 |
| 25mm | Black | SBX253BLK | 144392 |
| 25mm | White | SBX253WHI | 144172 |
| Circular Box Lids | | | |
| 20/25mm | Black | SBXLDLTK | 144415 |
| 20/25mm | White | SBXLDWHI | 144198 |
| Adaptors Female Thread | | | |
| 20mm | Black | SADF20BLK | 144224 |
| 20mm | White | SADF20WHI | 144004 |
| 25mm | Black | SADF25BLK | 144334 |
| 25mm | White | SADF25WHI | 144114 |
| Adaptors Male Thread | | | |
| 20mm | Black | SADM20BLK | 144237 |
| 20mm | White | SADM20WHI | 144017 |
| 25mm | Black | SADM25BLK | 144347 |
| 25mm | White | SADM25WHI | 144127 |



Cable Management

PLASTIC CABLE MANAGEMENT



MINI TRUNKING

Sector MiniTrunking consists of a range of sizes of extruded PVC sections for the containment of electrical cable for surface wiring.

The products are ideally suited for refurbishment programmes as well as new installation projects both in domestic and commercial sectors.

Wide range of trunking profiles

Wide range of integrated components maximises versatility of application

Easy to assemble and install

Durable and impact resistant

3 metre lengths



Mini Trunking - White

Sector Mini Trunking is Manufactured in accordance with the requirements of BS 4678 part

| Description | Colour | Ref No. | Order No. 0001 |
|-------------|--------|---------|----------------|
| 16 x 16mm | White | SPTM1 | 144428 |
| 25 x 16mm | White | SPTM2 | 144431 |
| 40 x 16mm | White | SPTM2/3 | 146442 |
| 40 x 25mm | White | SPTM3 | 144444 |
| 40 x 40mm | White | SPTM4 | 144457 |
| 50 x 50mm | White | SPTM5 | 144460 |



Self Adhesive Mini Trunking - White

Sector self adhesive Mini Trunking is complete with an acrylic foam adhesive for fast location of power circuits and secure containment of low voltage wiring.

| Description | Colour | Ref No. | Order No. 0001 |
|-------------|--------|---------|----------------|
| 16 x 16mm | White | SPTM1SA | 144473 |
| 25 x 16mm | White | SPTM2SA | 144486 |

Mini Trunking Accessories

| Description | Colour | Ref No. | Order No. 0001 |
|-------------|--------|---------|----------------|
|-------------|--------|---------|----------------|

External Couplers

| | | | |
|---------|-------|-------|--------|
| 16 x 16 | White | SMC16 | 144499 |
| 25 x 16 | White | SMC25 | 144554 |
| 40 x 25 | White | SMC40 | 144619 |
| 40 x 40 | White | SMC44 | 144677 |
| 50 x 50 | White | SMC50 | 144732 |

End Caps

| | | | |
|---------|-------|--------|--------|
| 16 x 16 | White | SMEC16 | 144509 |
| 25 x 16 | White | SMEC25 | 144567 |
| 40 x 25 | White | SMEC40 | 144622 |
| 40 x 40 | White | SMEC44 | 144680 |
| 50 x 50 | White | SMEC50 | 144745 |

Internal Corners

| | | | |
|---------|-------|--------|--------|
| 16 x 16 | White | SMIE16 | 144538 |
| 25 x 16 | White | SMIE25 | 144596 |
| 40 x 25 | White | SMIE40 | 144651 |
| 40 x 40 | White | SMIE44 | 144716 |
| 50 x 50 | White | SMIE50 | 144774 |

External Corners

| | | | |
|---------|-------|--------|--------|
| 16 x 16 | White | SMEE16 | 144525 |
| 25 x 16 | White | SMEE25 | 144583 |
| 40 x 25 | White | SMEE40 | 144648 |
| 40 x 40 | White | SMEE44 | 144703 |
| 50 x 50 | White | SMEE50 | 144761 |

Flat Angles

| | | | |
|---------|-------|--------|--------|
| 16 x 16 | White | SMFE16 | 144512 |
| 25 x 16 | White | SMFE25 | 144570 |
| 40 x 25 | White | SMFE40 | 144635 |
| 40 x 40 | White | SMFE44 | 144693 |
| 50 x 50 | White | SMFE50 | 144758 |

Flat Tees

| | | | |
|---------|-------|--------|--------|
| 16 x 16 | White | SMFT16 | 144541 |
| 25 x 16 | White | SMFT25 | 144606 |
| 40 x 25 | White | SMFT40 | 144664 |
| 40 x 40 | White | SMFT44 | 144729 |
| 50 x 50 | White | SMFT50 | 144787 |



Cable Management

3 COMPARTMENT TRUNKING & FLEXIBLE CONDUIT



3 Compartment Accessories

| Description | Colour | Ref No. | Order No. 0001 |
|---------------------------|--------|---------|----------------|
| One Gang Accessory Box | White | SP3AB1 | 144871 |
| Two Gang Accessory Box | White | SP3AB2 | 144884 |
| Coupler Kit | White | SP3BC | 144826 |
| End Cap | White | SP3CP | 144842 |
| Cable Retainer Centre | White | SP3CRC | 144868 |
| Cable Retainer Top/Bottom | White | SP3CRTB | 144855 |
| External Corner | White | SP3EC | 144800 |
| Flat Elbow | White | SP3FE | 144897 |
| Flat Tee | White | SP3FT | 144907 |
| Internal Corner | White | SP3IC | 144813 |
| Joint Cover | White | SP3JP | 144839 |



3 COMPARTMENT TRUNKING

Sector 3 Compartment trunking system provides a versatile and economical solution for supplying power, telecommunications and data throughout an installation.

Features

- Ease of installation
- Versatile
- Suitable for skirting or dado mounting
- Accommodates matching Sector switches and sockets
- 3 compartment trunking
- Strong PVCu sections are resistant to impact
- Manufactured to high precision standards
- Full range of components, spares and accessories
- Shielding section inserts available



3 Compartment Trunking

Description

The Sector trunking system incorporates three individual trunking assemblies, each a different profile, together with a wide range of component parts allowing very many configuration permutations.

The trunking is normally surface mounted at dado or skirting height but may also be used vertically. The covers are of the snap-on type.

Materials

All components are manufactured from white PVCu. Carriers, extension carriers, covers and cable dividers are extruded. Carrier couplers, corner carriers, stop ends, cover seals and accessory boxes are formed by injection moulding.

Outlets

The system is designed to accommodate the complementary range of Sector and Sequel switches and sockets. Other leading brand wiring devices may also be used.

| Description | Colour | Ref No. | Order No. 0001 |
|-------------|--------|---------|----------------|
| 170 x 50mm | White | SP3CMPT | 144790 |

FLEXIBLE CONDUIT



Flexible Conduit

SPMA 10 Nylon Zero Halogen:

10 metre pack, c/w 10 quick fit connectors and locknut, Self extinguishing, 100% Nylon.

SPL10 PVC Pliable Conduit:

10metre pack, c/w 10 quick fit connectors and locknuts.

SPMP 20/25mm polypropylene Conduit - IP54

10metre pack, c/w 10 one-piece fittings and locknuts.

| Description | Ref No. | Order No. 0001 |
|--|---------|----------------|
| SPMA 10 Nylon Zero Halogen | | |
| 20mm | SPMA10 | 991927 |
| 25mm | SPKOP25 | 122385 |
| SPL10 PVC Pliable Conduit | | |
| 20mm | SPL10 | 996540 |
| 20mm Polypropylene Conduit - IP54 | | |
| 20mm | SPMS20 | 145922 |
| 25mm | SPMS25 | 145935 |

Cable Management

STEEL CONDUIT & FITTINGS



STEEL CONDUIT & FITTINGS

Steel Conduit

Heavy gauge steel conduit complete with coupler.

See page 391 for conduit bender and tools.

| Description | Size (Dia. x Length) | Colour | Order No. |
|------------------------|-------------------------|------------|-----------|
| Steel Conduit, Class 2 | 20mm x 3.75m | Black | 3593 |
| Steel Conduit, Class 2 | 25mm x 3.75m | Black | 3594 |
| Steel Conduit, Class 4 | 20mm x 3.75m | Galvanised | 3599 |
| Steel Conduit, Class 4 | 25mm x 3.75m | Galvanised | 3600 |



Circular Boxes

BESA circular boxes, 60.3mm diameter complete with M4 tapped holes.

Supplied without lids and fixing screws.

| Description | Order No. |
|-------------|-----------|
|-------------|-----------|

20mm (Black)

| | |
|--------------------------|------|
| 1 Way Circular Box | 1807 |
| 2 Way Circular Box | 1810 |
| 3 Way Circular Box | 1821 |
| 4 Way Circular Box | 1827 |
| Angle Circular Box | 1813 |
| Back Outlet Circular Box | 1830 |
| Term Extension Box | 1847 |
| H Box | 1845 |
| U Box | 1841 |
| Y Box | 1843 |

20mm (Galvanised)

| | |
|--------------------------|------|
| 1 Way Circular Box | 7238 |
| 2 Way Circular Box | 7261 |
| 3 Way Circular Box | 7241 |
| 4 Way Circular Box | 7246 |
| Angle Circular Box | 7266 |
| Back Outlet Circular Box | 7256 |
| Term Extension Box | 7279 |
| H Box | 7277 |
| U Box | 7273 |
| Y Box | 7275 |

25mm (Black)

| | |
|--------------------|------|
| 1 Way Circular Box | 1808 |
| 2 Way Circular Box | 1811 |
| 3 Way Circular Box | 1822 |
| 4 Way Circular Box | 1828 |
| Angle Circular Box | 1814 |
| U Box | 1842 |
| Y Box | 1844 |

25mm (Galvanised)

| | |
|--------------------|------|
| 1 Way Circular Box | 7239 |
| 2 Way Circular Box | 7262 |
| 3 Way Circular Box | 7242 |
| 4 Way Circular Box | 7247 |
| Angle Circular Box | 7267 |
| U Box | 7274 |
| Y Box | 7276 |

| | |
|----------------------------------|------|
| Heavy Duty Box Lid (Black) | 3619 |
| Light Steel Box Lid (Black) | 1868 |
| Heavy Duty Box Lid (Galvanised) | 3620 |
| Light Steel Box Lid (Galvanised) | 7299 |

| | |
|---------------------------------|------|
| Large Gasket for Circular Boxes | 1870 |
| Small Gasket for Circular Boxes | 1870 |



7238



1810



7261



1822



7242

Cable Management

STEEL CONDUIT FITTINGS

Bends, Elbows & Tees

| Description | Order No. |
|-------------|-----------|
|-------------|-----------|

20mm (Black)

| | |
|------------------|------|
| Solid Elbow | 3554 |
| Inspection Elbow | 1799 |
| Solid Bend | 3529 |
| Inspection Bend | 1795 |
| Solid Tee | 3561 |
| Inspection Tee | 1803 |

20mm (Galvanised)

| | |
|------------------|------|
| Solid Elbow | 3557 |
| Inspection Elbow | 1800 |
| Solid Bend | 7220 |
| Inspection Bend | 3533 |
| Solid Tee | 3564 |
| Inspection Tee | 7234 |

25mm (Black)

| | |
|------------------|------|
| Solid Elbow | 3555 |
| Inspection Elbow | 1800 |
| Solid Tee | 3562 |
| Inspection Tee | 1804 |

25mm (Galvanised)

| | |
|------------------|------|
| Solid Elbow | 3557 |
| Inspection Elbow | 7231 |
| Solid Tee | 3565 |
| Inspection Tee | 7235 |



Couplers

| Description | Order No. |
|-------------|-----------|
|-------------|-----------|

20mm (Black)

| | |
|------------------|------|
| Solid Coupler | 1767 |
| Flanged Coupling | 1780 |

20mm (Galvanised)

| | |
|------------------|------|
| Solid Coupler | 1998 |
| Flanged Coupling | 7211 |

25mm (Black)

| | |
|------------------|------|
| Solid Coupler | 1768 |
| Flanged Coupling | 1781 |

25mm (Galvanised)

| | |
|------------------|------|
| Solid Coupler | 1999 |
| Flanged Coupling | 7212 |



Saddles

| Description | Order No. |
|-------------|-----------|
|-------------|-----------|

20mm (Black)

| | |
|-------------------|------|
| Distance Saddle | 1983 |
| Hospital Saddle | 3574 |
| Plain Saddle | 1971 |
| Spacer Bar Saddle | 1977 |

20mm (Galvanised)

| | |
|-------------------|------|
| Distance Saddle | 7361 |
| Hospital Saddle | 3580 |
| Plain Saddle | 7349 |
| Spacer Bar Saddle | 7355 |

25mm (Black)

| | |
|-------------------|------|
| Distance Saddle | 1984 |
| Hospital Saddle | 3575 |
| Plain Saddle | 1972 |
| Spacer Bar Saddle | 1978 |

25mm (Galvanised)

| | |
|-------------------|------|
| Distance Saddle | 7362 |
| Hospital Saddle | 3581 |
| Plain Saddle | 7350 |
| Spacer Bar Saddle | 7356 |



Hooks & Hook Plates


| Description | Order No. |
|-------------|-----------|
|-------------|-----------|

Black

| | |
|------------------|------|
| Male Hook - 20mm | 1910 |
| Hook Plate | 1873 |

Galvanised

| | |
|------------------|------|
| Male Hook - 20mm | 7322 |
| Hook Plate | 7303 |



Steel Conduit Stocks & Dies

| Description | Ref No. | Order No. |
|-------------|---------|-----------|
|-------------|---------|-----------|

| | | |
|------------------|---------|--------|
| Stock & Die Sets | SET2025 | 990131 |
| - 20mm + 25mm | | |

Dies

| | | |
|-----|-------|--------|
| Die | DIE20 | 990115 |
| Die | DIE25 | 990128 |




Cable Management

STEEL CONDUIT FITTINGS

Crampets

| Description | Order No. |
|--------------------------|-----------|
| 20mm (Black) | |
| Flat Crampets | 1989 |
| 20mm (Galvanised) | |
| Flat Crampets | 7367 |
| 25mm (Black) | |
| Flat Crampets | 1990 |
| 25mm (Galvanised) | |
| Flat Crampets | 7368 |



Nipples

| Description | Order No. |
|-------------------|-----------|
| Galvanised | |
| 20mm Nipple | 7214 |
| 25mm Nipple | 7215 |
| S/C | |
| 20mm Nipple | 1783 |
| 25mm Nipple | 1784 |



Reducers

| Description | Order No. |
|---------------------|-----------|
| Black | |
| 20mm - 16mm Reducer | 1875 |
| 25mm - 20mm Reducer | 1876 |
| Galvanised | |
| 20mm - 16mm Reducer | 7305 |
| 25mm - 20mm Reducer | 7309 |



Lockrings & Locknuts

| Description | Order No. |
|--|-----------|
| Lockrings - S/C | |
| 20mm Lockrings Circ. Milled | 1934 |
| 25mm Lockrings Circ. Milled | 1935 |
| Hexagonal Locknuts - Black | |
| 20mm Light Steel Locknut | 1921 |
| 25mm Light Steel Locknut | 1922 |
| Hexagonal Locknuts - Galvanised | |
| 20mm Light Steel Locknut | 7330 |
| 25mm Light Steel Locknut | 7331 |



Adaptors

| Description | Order No. |
|-----------------------|-----------|
| Black | |
| Adaptor - 1" x 25mm | 1888 |
| Adaptor - 20mm x 3/4" | 1887 |
| Adaptor - 25mm x 1" | 1889 |
| Adaptor - 3/4 x 20mm | 1886 |
| Galvanised | |
| Adaptor - 1" x 25mm | 7318 |
| Adaptor - 20mm x 3/4" | 7317 |
| Adaptor - 25mm x 1" | 7319 |
| Adaptor - 3/4 x 20mm | 7316 |




Bushes

| Description | Order No. |
|-----------------------|-----------|
| 20mm | |
| Female Brass Bush | 1905 |
| Male Long Brass Bush | 1893 |
| Male Short Brass Bush | 1899 |
| Brass TRS Glands | 1995 |
| 25mm | |
| Female Brass Bush | 1906 |
| Male Long Brass Bush | 1894 |
| Male Short Brass Bush | 1900 |
| Brass TRS Glands | 1996 |



Cable Management

STEEL CABLE TRAY & ACCESSORIES



STEEL CABLE TRAY



Standard Duty Straight Flange

3m Length.

BS2989 Pre-Galvanised.

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
| 50mm | S50SD | 993080 |
| 75mm | S75SD | 993093 |
| 100mm | S100SD | 993103 |
| 150mm | S150SD | 993116 |
| 225mm | S225SD | 993129 |
| 300mm | S300SD | 993132 |



Standard Duty Straight Flanged Cable Tray Accessories

BS2989 Pre-Galvanised.

| Description | Ref No. | Order No. 0001 |
|------------------|----------|----------------|
| Flat Bend | | |
| 50mm | SLDFB50 | 138939 |
| 75mm | SLDFB75 | 138942 |
| 100mm | SLDFB100 | 138955 |
| 150mm | SLDFB150 | 138968 |
| 225mm | SLDFB225 | 138971 |

Equal Tee

| | | |
|-------|----------|--------|
| 50mm | SLDET50 | 138984 |
| 75mm | SLDET75 | 138997 |
| 100mm | SLDET100 | 139006 |
| 150mm | SLDET150 | 139019 |
| 225mm | SLDET225 | 139022 |



Medium Duty Return Flange

3m Length.

BS2989 Pre-Galvanised.

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
| 50mm | S50MD | 135039 |
| 75mm | S75MD | 135042 |
| 100mm | S100MD | 993145 |
| 150mm | S150MD | 993158 |
| 225mm | S225MD | 135055 |
| 300mm | S300MD | 135068 |
| 450mm | S450MD | 135220 |



Medium Duty Return Flange Cable Tray Accessories

BS2989 Pre-Galvanised.

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
|-------------|---------|----------------|

Medium Duty Couplers

| | | |
|------------------|----------|--------|
| 50 x 50 Pair | SCPLS | 993161 |
| Flat Bend | | |
| 50mm | SMDFB50 | 139035 |
| 75mm | SMDFB75 | 139048 |
| 100mm | SMDFB100 | 139051 |
| 150mm | SMDFB150 | 139064 |
| 225mm | SMDFB225 | 139077 |
| 300mm | SMDFB300 | 139080 |

Equal Tee

| | | |
|-------|---------|--------|
| 50mm | SMDT50 | 139093 |
| 75mm | SMDT75 | 139075 |
| 100mm | SMDT100 | 139116 |
| 150mm | SMDT150 | 139129 |
| 225mm | SMDT225 | 139132 |
| 300mm | SMDT300 | 139145 |

Cable Management

STEEL TRUNKING & ACCESSORIES



STEEL TRUNKING

SECTOR

Lighting Trunking

BS2989 Manufactured from hot dipped, pre-galvanised steel.

Available in 3.5m and 4.5m lengths.

Comprehensive range of accessories.

| Description | Length | Ref No. | Order No. 0001 |
|---------------------------|--------|-----------------|----------------|
| 50mm x 50mm Trunking | 3.5m | SLT5035BMK2 | 132032 |
| 50mm x 50mm Trunking | 4.5m | SLT5045BMK2 | 131567 |
| Trunking Lid - Galvanised | 2m | SLT175GLMK2 | 132045 |
| Trunking Lid - PVC | 3m | SLT175PVCLGLMK2 | 132058 |
| Coupling | | SLT50CMK2 | 131415 |

SECTOR

Lighting Trunking Accessories

| Description | Ref No. | Order No. 0001 |
|--|---------------|----------------|
| Suspension Brackets - 10mm Hole | | |
| 50mm | SLT5096SBMK2 | 132074 |
| 75mm | SLT7596SBMK2 | 131538 |
| 100mm | SLT10096SBMK2 | 131541 |
| Suspension Brackets - 20mm Hole | | |
| 50mm | SLT50205SBMK2 | 132126 |
| Attachment Accessories | | |
| Attachment Assembly | SLT50AAMK2 | 132061 |

SECTOR

Lighting Trunking Accessories

| Description | Ref No. | Order No. 0001 |
|------------------------------|------------|----------------|
| Bends & Tee Joint | | |
| 90° Elbow - Inside Cover | S509IMK2 | 131693 |
| 90° Elbow - Outside Cover | S509COMK2 | 131651 |
| 90° Elbow - Top Cover | S509TMK2 | 131619 |
| Tee - Top Cover | S50TTMK2 | 131774 |
| Fourway Intersection | S501SMK2 | 131936 |
| Accessories | | |
| Cable Retainer | SLT50CRMK2 | 132142 |
| Stop End | SLT50BEMK2 | 132139 |
| Flange | S50FMK2 | 131897 |
| Earth Strap | | |
| Earth Strap | SLTESMK2 | 131554 |

Cable Management

STEEL TRUNKING & ACCESSORIES



Return Edge Accessories

| Description | Ref No. | Order No. 0001 |
|-------------|---------|-------------------|
|-------------|---------|-------------------|

90° Bend - Top Cover

| | | |
|---------------|----------|--------|
| 50mm x 50mm | S509TMK2 | 131619 |
| 75mm x 75mm | S759TMK2 | 131622 |
| 100mm x 100mm | S109TMK2 | 131635 |
| 150mm x 150mm | S159TMK2 | 131648 |

90° Bend - Outside Cover

| | | |
|---------------|-----------|--------|
| 50mm x 50mm | S509COMK2 | 131651 |
| 75mm x 75mm | S759COMK2 | 131664 |
| 100mm x 100mm | S109COMK2 | 131677 |
| 150mm x 150mm | S159COMK2 | 131680 |

90° Bend - Inside Cover

| | | |
|---------------|----------|--------|
| 50mm x 50mm | S509IMK2 | 131693 |
| 75mm x 75mm | S759IMK2 | 131703 |
| 100mm x 100mm | S109IMK2 | 131716 |
| 150mm x 150mm | S159IMK2 | 131729 |

45° Bend - Top Cover

| | | |
|---------------|----------|--------|
| 50mm x 50mm | S504TMK2 | 131732 |
| 75mm x 75mm | S754TMK2 | 131745 |
| 100mm x 100mm | S104TMK2 | 131758 |
| 150mm x 150mm | S154TMK2 | 131761 |

45° Bend - Outside Cover

| | | |
|---------------|-----------|--------|
| 50mm x 50mm | S504COMK2 | 131457 |
| 75mm x 75mm | S754COMK2 | 131473 |
| 100mm x 100mm | S104COMK2 | 131431 |
| 150mm x 150mm | S154COMK2 | 131499 |

45° Bend - Inside Cover

| | | |
|---------------|----------|--------|
| 50mm x 50mm | S504IMK2 | 131444 |
| 75mm x 75mm | S754IMK2 | 131460 |
| 100mm x 100mm | S104IMK2 | 131428 |
| 150mm x 150mm | S154IMK2 | 131486 |

Tee - Top Cover

| | | |
|---------------|----------|--------|
| 50mm x 50mm | S50TTMK2 | 131774 |
| 75mm x 75mm | S75TTMK2 | 131787 |
| 100mm x 100mm | S10TTMK2 | 131790 |
| 150mm x 150mm | S15TTMK2 | 131800 |

Couplers

| | | |
|---------------|---------|--------|
| 50mm x 50mm | S50CMK2 | 131855 |
| 75mm x 75mm | S75CMK2 | 131868 |
| 100mm x 100mm | S10CMK2 | 131871 |
| 150mm x 150mm | S15CMK2 | 131884 |

Flanges

| | | |
|---------------|---------|--------|
| 50mm x 50mm | S50FMK2 | 131897 |
| 75mm x 75mm | S75FMK2 | 131907 |
| 100mm x 100mm | S10FMK2 | 131910 |
| 150mm x 150mm | S15FMK2 | 131923 |

4 Way Inter-Section

| | | |
|---------------|----------|--------|
| 50mm x 50mm | S50ISMK2 | 131936 |
| 75mm x 75mm | S75ISMK2 | 131949 |
| 100mm x 100mm | S10ISMK2 | 131952 |
| 150mm x 150mm | S15ISMK2 | 131965 |

Reducers

| | | |
|---------------|------------|--------|
| 75mm x 50mm | S7-5RMK2 | 131978 |
| 100mm x 50mm | S10-5RMK2 | 131981 |
| 100mm x 75mm | S10-7RMK2 | 131994 |
| 150mm x 50mm | S15-5RMK2 | 132003 |
| 150mm x 75mm | S15-7RMK2 | 132016 |
| 150mm x 100mm | S15-10RMK2 | 132029 |

Stop Ends

| | | |
|---------------|----------|--------|
| 50mm x 50mm | S50SEMK2 | 131813 |
| 75mm x 75mm | S75SEMK2 | 131826 |
| 100mm x 100mm | S10SEMK2 | 131839 |
| 150mm x 150mm | S15SEMK2 | 131842 |

Cable Retainer

| | | |
|----------------|------------|--------|
| Cable Retainer | SLT50CRMK2 | 132142 |
|----------------|------------|--------|

| Description | Ref No. | Order No. 0001 |
|-------------|---------|-------------------|
|-------------|---------|-------------------|

Lid Fixings

| | | |
|-------|-----------|--------|
| 50mm | SLF50MK2 | 131509 |
| 75mm | SLF75MK2 | 131512 |
| 100mm | SLF100MK2 | 131525 |

Earth Straps

| | | |
|--------------|----------|--------|
| Earth Straps | SLTESMK2 | 131554 |
|--------------|----------|--------|

SECTOR

Return Edge Trunking

Return edge design for strength and rigidity.

Manufactured in 3m lengths from prime hot dipped, galvanised steel.

BS4678 Fast simple installation.

Supplied complete with covers, coupler and zinc plated screws.

| Description | Ref No. | Order No. 0001 |
|-------------|---------|-------------------|
|-------------|---------|-------------------|

Return Edge Trunking Body

| | | |
|---------------|------------|--------|
| 50mm x 50mm | S5050REMK2 | 131570 |
| 75mm x 75mm | S7575REMK2 | 131583 |
| 100mm x 100mm | S1010REMK2 | 131596 |
| 150mm x 150mm | S1515REMK2 | 131606 |

Return Edge Trunking Lid

| | | |
|---------------|------------|--------|
| 50mm x 50mm | S50LIDMK2 | 132100 |
| 75mm x 75mm | S75LIDMK2 | 132113 |
| 100mm x 100mm | S100LIDMK2 | 132087 |
| 150mm x 150mm | S150LIDMK2 | 132090 |

SECTOR *PLUS*

Cable Management

STEEL SUPPORT SYSTEM



SMS2125/PG/3

SMS2125/PG/3S

STEEL SUPPORT SYSTEM

A flexible system when there is a need to install cable tray, cable ladder, lighting and other building services.

SECTOR

Pre-Galvanised Channel

Manufactured to BS EN ISO 9001: 1994 BS6946: 1988.

Pre-galvanised in 3 metre lengths.

6m lengths available on request.

| Description | Size (mm) | Ref No. | Order No. 0001 |
|-----------------|---------------|--------------|----------------|
| Pre-Galv. Solid | 41 x 21 x 2.5 | SMS2125/PG/3 | 121593 |
| Pre-Galv. Solid | 41 x 41 x 2.5 | SMS4125/PG/3 | 121616 |

SECTOR

Pre-Galvanised Slotted Channel

Manufactured to BS EN ISO 9001: 1994 BS6946: 1988.

Pre-galvanised in 3 metre lengths.

6m lengths available on request.

| Description | Size (mm) | Ref No. | Order No. 0001 |
|------------------|---------------|---------------|----------------|
| Pre-Galv Slotted | 41 x 21 x 2.5 | SMS2125/PG/3S | 121603 |
| Pre-Galv Slotted | 41 x 41 x 2.5 | SMS4125/PG/3S | 121629 |

SECTOR

Pre-Galvanised Channel Accessories

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
|-------------|---------|----------------|

Closure Strip

| | | |
|---------------|----------|--------|
| Closure Strip | SPVC3CLW | 121917 |
|---------------|----------|--------|

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
|-------------|---------|----------------|

PVC End Cap - White

| | | |
|-------------|---------|--------|
| 41mm x 21mm | SPVC21W | 121920 |
| 41mm x 41mm | SPVC41W | 121933 |

PVC End Cap - Black

| | | |
|-------------|---------|--------|
| 41mm x 21mm | SPVC21B | 121946 |
| 41mm x 41mm | SPVC41B | 121959 |

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
|-------------|---------|----------------|

Channel Connectors - Internal

| | | |
|-------------|---------|--------|
| 41mm x 21mm | SMSU809 | 122301 |
| 41mm x 41mm | SMSU808 | 122291 |

Channel Connectors - External

| | | |
|-------------|---------|--------|
| 41mm x 21mm | SMSU807 | 122288 |
| 41mm x 41mm | SMSU806 | 122275 |

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
|-------------|---------|----------------|

Threaded Rod

| | | |
|-----|----------|--------|
| M6 | SM06X3TR | 122110 |
| M8 | SM08X3TR | 122123 |
| M10 | SM10X3TR | 122136 |

Stud Connector

| | | |
|-----|--------|--------|
| M6 | SM06SC | 122149 |
| M8 | SM08SC | 122152 |
| M10 | SM10SC | 122165 |

90° Brackets - 2 Hole

| | | |
|-------------|---------|--------|
| 50mm x 48mm | SMSA600 | 121690 |
| 57mm x 42mm | SMSA601 | 121700 |

90° Brackets - 3 Hole

| | | |
|--------------|---------|--------|
| 96mm x 50mm | SMSA602 | 121713 |
| 102mm x 42mm | SMSA603 | 121726 |
| 90mm x 57mm | SMAS604 | 121739 |

90° Brackets - 4 Hole

| | | |
|--------------|---------|--------|
| 102mm x 86mm | SMSA605 | 121742 |
| 132mm x 55mm | SMSA606 | 121755 |

Tapered & Z Beam Clamps M10 (Inc. Cone Point)

| | | |
|-------------|-----------|--------|
| 90mm x 48mm | SMBC401CP | 121797 |
| 30mm x 52mm | SMBC402CP | 121807 |
| Z Tapped | SMBC403CP | 121810 |



Cable Management

STEEL SUPPORT SYSTEM

Pre-Galvanised Channel Accessories (continued...)

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
|-------------|---------|----------------|

L & Tee Brackets

| | | |
|------------------|---------|--------|
| 3 Hole L Bracket | SMSF506 | 121674 |
| 4 Hole T Bracket | SMSF507 | 121687 |

Delta Brackets

| | | |
|----------------------------------|---------|--------|
| 90° Delta 4 Hole 106mm x 90mm | SMSA610 | 121768 |
|----------------------------------|---------|--------|

Base Brackets

| | | |
|---|---------|--------|
| Single Channel Base Plate | SMBP305 | 121771 |
| Single Channel Base Plate - 2 Fixing | SMBP307 | 122411 |

Cantilever Arms

| | | |
|-----|---------|--------|
| 150 | SMS150A | 121865 |
| 300 | SMS300A | 121878 |
| 450 | SMS450A | 121881 |
| 600 | SMS600A | 121894 |
| 750 | SMS750A | 121904 |

Beam & Purlin Clip

| | | |
|-------------|---------|--------|
| Beam Clamp | SMBC400 | 121784 |
| Purlin Clip | SM10PC | 122178 |

Window & U Beam Clamps

| | | |
|--------------------|-------------|--------|
| Window Deep | SMBC404CP | 121823 |
| Window Shallow | SMBC407CP | 121836 |
| U Section | SMBC405/65 | 121849 |
| U Section (2 Hole) | SMBC405/110 | 122314 |

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
|-------------|---------|----------------|

Channel Nuts - No Spring

| | | |
|-------------|--------|--------|
| 6mm | SMPN06 | 122181 |
| 8mm | SMPN08 | 122194 |
| 10mm SMPN10 | 122204 | |

Channel Nuts - Short Spring

| | | |
|-------------|--------|--------|
| 6mm | SMSN06 | 122217 |
| 8mm | SMSN08 | 122220 |
| 10mm SMSN10 | 122233 | |

Channel Nuts - Long Spring

| | | |
|------|--------|--------|
| 6mm | SMLN06 | 122246 |
| 8mm | SMLN08 | 122259 |
| 10mm | SMLN10 | 122262 |

Square Plate Washers

| | | |
|------------------------------|------------|--------|
| M8 Hole (fits 6mm Bolt) | SMSF501/06 | 121632 |
| M10 Hole (fits 8mm Bolt) | SMSF501/08 | 121645 |
| M12 Hole (fits 10mm Bolt) | SMSF501/10 | 121658 |
| M14 Hole (fits 12mm Bolt) | SMSF501/12 | 121661 |

SMSF506



SMSF507



SMSA610



SMBP307



SMS150A



SMBC400

SMBC407CP



SMBC405/65



SMPN06



SMSN06



SMLN06



SMSF501/06

Pre-Galvanised Channel Accessories (continued...)

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
|-------------|---------|----------------|

Hexagonal Nuts (Pack Size - 100)

| | | |
|-----|--------|--------|
| M6 | SM06HN | 121991 |
| M8 | SM08HN | 122000 |
| M10 | SM10HN | 122013 |

Penny Washer (Pack Size - 100)

| | | |
|-----|--------|--------|
| M6 | SM06PW | 121962 |
| M8 | SM08PW | 121975 |
| M10 | SM10PW | 121988 |

Flat Washer (Pack Size - 100)

| | | |
|-----|--------|--------|
| M6 | SM06FW | 122026 |
| M8 | SM08FW | 122039 |
| M10 | SM10FW | 122042 |

| Description | Ref No. | Order No. 0001 |
|-------------|---------|----------------|
|-------------|---------|----------------|

Hexagonal Head Set Screws

| | | |
|----------|-----------|--------|
| M6 x 20 | SM06X20HS | 122055 |
| M6 x 25 | SM06X25HS | 122068 |
| M8 x 25 | SM08X25HS | 122071 |
| M8 x 35 | SM08X35HS | 122084 |
| M10 x 25 | SM10X25HS | 122097 |
| M10 x 35 | SM10X35HS | 122107 |

SM06HN




SM06PW



SM06FW



SM06X20HS



SCG005

SECTOR

Galvanised Steel Channel - 2m Lengths

| Description | Bundle | Ref No. | Order No. 0001 |
|-------------|--------|---------|----------------|
| 12mm | 50 | SCG005 | 990164 |
| 25mm | 50 | SCG100 | 990177 |
| 38mm | 50 | SCG150 | 990193 |
| 63mm | 25 | SCG250 | 990203 |