

# Tools, Fixings & Sundries



Hand Tools

202-203




Fixings, Cable Clips  
& Cable Ties

207-208



Drillbits & Holesaws

204



General Purpose Tapes,  
Safety Plates & Chain

209




Steel Fasteners

205



Fillers & Sealants

210



Screws, Nuts & Bolts

206

## HAND TOOLS



All hand tools are 1000v VDE rated where applicable.  
Each branch carries an extensive range of top quality popular hand tools.

HAND TOOLS

### 3½oz Pin Hammer

Description	Part No.
Pin Hammer	<b>HRHP0335</b>

### 4" Bolster Chisel

With plastic grip.

Description	Part No.
Bolster Chisel	<b>HRCC0504</b>

### 8" Combination Pliers

With heavy duty soft grip handles.

Description	Part No.
Combination Pliers	<b>HREP0108A</b>

### 6½" Long Nosed Pliers

With heavy duty soft grip handles.

Description	Part No.
Long Nosed Pliers	<b>HRLP0106A</b>

### 6" Side Cutter

With heavy duty soft grip handles.

Description	Part No.
Side Cutter	<b>HRDP0106A</b>

### 12" Hacksaw Frame & Blade

Description	Part No.
Hacksaw Frame & Blade	<b>HRHSP0312</b>
Hacksaw Blade	<b>HRHSSB0312</b>

### Junior Hacksaw Frame & Blade

Long life steel spring frame.

Description	Part No.
Junior Hacksaw & Blade	<b>HRHSP0606</b>
Junior Hacksaw Blade	<b>HRHSSB0406</b>

### Hard Point Saw

Ideal for general use.

Description	Part No.
Hard Point Saw	<b>HRSW20</b>

### Retractable Trimming Knife

Multi position blade setting.

Description	Part No.
Trimming Knife	<b>HRUK0306</b>

## HAND TOOLS



### Flat Jaw Grips

Description	Part No.
Flat Jaw Grips	<b>HRGJP0312A</b>

### 100mm Neon Mains Tester

Description	Part No.
Mains Tester	<b>HRVNS1407</b>

### 7 Piece Screwdriver Set

4 slotted, 2 pozi, 1 mains tester.

Description	Part No.
Screwdriver Set	<b>HRADRIVER</b>

### 16oz Claw Hammer

*Tubular Steel.*

Description	Part No.
Claw Hammer	<b>HRHDP0316</b>

### 2½lb Club Hammer

Description	Part No.
Club Hammer	<b>HRHDC0610</b>

### 5m Measure Tape

*High visibility - soft grip.*

Description	Part No.
Measure Tape	<b>HRHV0305A</b>

### Cable & Wire Strippers

*Self-adjusting wire stripper for single core cable 0.2 - 6mm<sup>2</sup>. Easy adjustment to ensure correct stripping length. Single point entry for fast and efficient use. Complete with cable cutting blade.*

Cable Range (mm <sup>2</sup> )	Part No.
0.2 - 6.0	<b>SWS026</b>

HAND TOOLS



### HSS Drills

High-speed steel bit for drilling into metal, plasterboard or wood.

Drill Diameter (mm)	Overall Length (mm)	Part No.
3	60	<b>SCHS61</b>
4	80	<b>SCHS66</b>
4.5	80	<b>SCHS62</b>
5	100	<b>SCHS67</b>
6.5	100	<b>SCHS63</b>
8	120	<b>SCHS64</b>
9.5	125	<b>SCHS65</b>

### SDS Hammer Drills

SDS shank for hammer drilling into concrete, brick, stone or rock.

Drill Diameter (mm)	Overall Length (mm)	Part No.
5.5	110	<b>SCHD77</b>
5.5	160	<b>SCHD71</b>
6.5	110	<b>SCHD78</b>
7	160	<b>SCHD72</b>
10	160	<b>SCHD79</b>
12	160	<b>SCHD80</b>

### Adjustable Hole Cutters

Complete with case. Complete balance shaft. Suits most applications.

Cut Size (mm)	Part No.
30 - 163	<b>SAHC163</b>
30 - 203	<b>SAHC203</b>
<b>Spare Cutting Blades</b>	
Metal	<b>SAHCBM</b>
Wood	<b>SAHCBW</b>

### Heavy Duty Holesaws

Fast cut action for metal, wood, plastic or aluminium.

Cut Size (mm)	Arbor Size	Part No.
<b>Holesaws</b>		
20	A1	<b>SHS20</b>
25	A1	<b>SHS25</b>
32	A10	<b>SHS32</b>
38	A10	<b>SHS38</b>
40	A10	<b>SHS40</b>
51	A10	<b>SHS50</b>
<b>Arbors</b>		
	A1	<b>SH1</b>
	A10	<b>SH2</b>

### Masonry Drills

Rotary or hammer drilling into concrete, brick or stone.

Drill Diameter (mm)	Overall Length (mm)	Part No.
5.5	85	<b>SCMD10</b>
6	100	<b>SCMD12</b>
7	150	<b>SCMD14</b>
12	400	<b>SCMD66</b>
14	400	<b>SCMD67</b>
16	400	<b>SCMD68</b>
8	120	<b>SCMD69</b>
10	120	<b>SCMD70</b>

### Wood Bits

Fast cut action.

Drill Diameter (mm)	Overall Length (mm)	Part No.
<b>Auger Bits</b>		
20	150	<b>SCAB73</b> <b>F</b>
25	150	<b>SCAB74</b>
<b>Flat Bits</b>		
20		<b>SCFB75</b> <b>G</b>
25		<b>SCFB76</b>

## STEEL FASTENERS



SSSF026

SSSF002



SSSF028



SSSF030



SSSF009

SSSF004



SSSF027



SSSF029



SSSF025

SSSF021

SSSF024



All steel fasteners are packed in 25's. Galvanised for resistance to humidity and tough environments. Manufactured to ASTM - B117-90, D IN50021. Suitable for indoor/outdoor use.

### Beam Clamp & Clips

Multi-purpose usage. Flange thickness 18mm max. 1 x 12.7mm dia., 2 x 6.5mm dia. vertical or horizontal fixing holes.

#### Weight Capacity:

Master Beam Clamps: 45kg.  
Beam Clips with 6.5mm Dia. Hole: 90kg (SSSF002: 72kg).

Flange Size (mm)	Part No.
------------------	----------

#### Master Beam Clamp

1.5 - 18	SSSF026
----------	---------

#### Beam Clips with 6.5mm Dia. Hole

1.5 - 3	SSSF002
3 - 8	SSSF003
8 - 14	SSSF005
14 - 20	SSSF001

### T Bar Clip

Easy fitting of accessories to false ceiling with 25mm max T bar.

M6 stud 16mm long. 22kg weight capacity.

T Bar Size (mm)	Part No.
-----------------	----------

25 Max	SSSF028
--------	---------

### Z Purlin Clip

Easy fitting of accessories to Z Purlin.

Has 6.5mm dia hole. 45kg weight capacity.

Flange Size (mm)	Part No.
------------------	----------

3 Max	SSSF030
-------	---------

### Rod Fixing Clips

68kg weight capacity. For use with 1.5 - 5mm flanges.

Clip Size (mm)	Part No.
----------------	----------

M6	SSSF009
M8	SSSF010
M10	SSSF008

### Conduit Clips

#### Horizontal Flange Conduit Clip:

Suitable for 20mm or 25mm Conduit.

12kg weight capacity. Flange thickness 3 - 14mm.

#### Conduit Clip:

Suitable for 20mm Conduit. Flange thickness 3 - 5mm thick.

#### Snap in Wall Conduit Clip:

11kg weight capacity. Suitable for 20mm or 25mm conduit.

Flange Size (mm)	Part No.
------------------	----------

#### Master Beam Clamp

3 - 8	SSSF004
8 - 14	SSSF006

#### Conduit Clip

SSSF027

#### Snap in Wall Conduit Clip

SSSF029

### Edge Clips

For easy cable fixing.

For 8 - 24mm dia. cable.

Flange thickness: Large: 8 - 12mm, Medium: 4 - 7mm, Small: 2 - 4mm.

#### Vertical Edge Clip:

72kg weight capacity. Round 6.5mm dia hole and a square 6.5mm hole.

Cable Dia. (mm)	Part No.
-----------------	----------

#### Large Edge Clips

8 - 9	SSSF015
10 - 11	SSSF011
12 - 14	SSSF012
15 - 19	SSSF013
20 - 24	SSSF014

#### Medium Edge Clips

8 - 9	SSSF020
10 - 11	SSSF016
12 - 14	SSSF017
15 - 19	SSSF018
20 - 24	SSSF019

#### Small Edge Clips


8 - 9	SSSF025
10 - 11	SSSF021
12 - 14	SSSF022
15 - 19	SSSF023
20 - 24	SSSF024

Flange Size (mm)	Part No.
------------------	----------

#### Vertical Edge Clips

1.5 - 5	SSSF007
---------	---------

## SCREWS, NUTS AND BOLTS



### Combi Round Head Screws

Zinc plated.  
Use with flat or pozi screwdriver.  
Excellent grip on many materials.  
Boxed in 200's.

Screw Size	Part No.
6 x 3/4 Combi BZP Roundhead	<b>SBZRP45</b>
6 x 1 Combi BZP Roundhead	<b>SBZRP46</b>
6 x 1 1/4 Combi BZP Roundhead	<b>SBZRP47</b>
6 x 1 1/2 Combi BZP Roundhead	<b>SBZRP48</b>
8 x 3/4 Combi BZP Roundhead	<b>SBZRP49</b>
8 x 1 Combi BZP Roundhead	<b>SBZRP50</b>
8 x 1 1/4 Combi BZP Roundhead	<b>SBZRP51</b>
8 x 1 1/2 Combi BZP Roundhead	<b>SBZRP52</b>
8 x 2 Combi BZP Roundhead	<b>SBZRP53</b>
8 x 1 1/2 Combi BZP Roundhead	<b>SBZRP54</b>
10 x 2 Combi BZP Roundhead	<b>SBZRP55</b>

### Twin Threaded Hardened BZP Countersunk Woodscrews

Boxed in 200's.

Screw Size	Part No.
3/4" x 6	<b>SBZCP45</b>
1" x 6	<b>SBZCP46</b>
1 1/4" x 6	<b>SBZCP47</b>
1 1/2" x 6	<b>SBZCP48</b>
3/4" x 8	<b>SBZCP49</b>
1" x 8	<b>SBZCP50</b>
1 1/4" x 8	<b>SBZCP51</b>
1 1/2" x 8	<b>SBZCP52</b>
2" x 8	<b>SBZCP53</b>
1 1/2" x 10	<b>SBZCP54</b>
2" x 10	<b>SBZCP55</b>
3" x 10	<b>SBZCP56</b>

### M3.5 Nickel Plated Machine Screws

Boxed in 100's.  
Wide range of uses including fixing wiring accessories.

Screw Length	Part No.
25mm	<b>SMSNP57</b>
35mm	<b>SMSNP58</b>
40mm	<b>SMSNP59</b>
50mm	<b>SMSNP60</b>
75mm	<b>SMSNP61</b>

#### 3.5m Brass Stud Extensions

Boxed in 50's. **SBSE**

### M4 Brass Pan Head

Boxed in 100's.  
Self-coloured.  
Wide range of uses including fixing conduit fittings.

Screw Length	Part No.
6mm	<b>SMSBR61</b>
10mm	<b>SMSBR62</b>
12mm	<b>SMSBR63</b>
16mm	<b>SMSBR64</b>
20mm	<b>SMSBR65</b>
25mm	<b>SMSBR66</b>
M4 nut	<b>SMSBN67</b>
M4 washer	<b>SMSBW68</b> <b>E</b>

### Pan Head Self Tapping Cross Slotted BZP

Boxed in 200's.

Screw Length	Part No.
12mm	<b>SST05</b>
15mm	<b>SST07</b>
25mm	<b>SST10</b>
40mm	<b>SST15</b>

### M6 Roofing Nuts and Bolts

Boxed in 200's.  
Wide range of uses.  
Self-coloured.

Bolt Length	Part No.
12mm	<b>SBZRB69</b>
16mm	<b>SBZRB70</b>
20mm	<b>SBZRB71</b>
25mm	<b>SBZRB72</b>
30mm	<b>SBZRB73</b>

### Hexagonal Head Set Screws

Boxed in 100's.

Bolt Length	Part No.
M6 x 20	<b>SM06X20HS</b>
M6 x 25	<b>SM06X25HS</b>
M8 x 25	<b>SM08X25HS</b>
M8 x 35	<b>SM08X35HS</b>
M10 x 25	<b>SM10X25HS</b>
M10 x 35	<b>SM10X35HS</b>

### Hexagonal Nuts

Boxed in 100's.

Nut Size	Part No.
M6	<b>SM06HN</b>
M8	<b>SM08HN</b>
M10	<b>SM10HN</b>

### Penny and Flat Washers

Boxed in 100's.

Washers Size	Part No.
<b>I Penny Washers</b>	
M6	<b>SM06PW</b>
M8	<b>SM08CW</b>
M10	<b>SM10PW</b>
<b>J Flat Washers</b>	
M6	<b>SM06FW</b>
M8	<b>SM08FW</b>
M10	<b>SM10FW</b>

## FIXINGS



### Cavity Wall Fixings

All metal construction.

Suitable for use on most materials.

Does not rely upon thread to remain captive.

Toggle Size	Part No.
TMX5E (514) 3-16mm Grip	<b>SDMA514</b>
TMX5M (510) 6-13mm Grip	<b>SDMA510</b>
TMX5M (614) 3-16mm Grip	<b>SDMA614</b>

### Cavity Fixing Spring Toggles

Packed in 10's.

Suitable for plasterboard or most cavity situations.

Toggle Size (mm)	Part No.
5 x 50	<b>ST550</b>
5 x 75	<b>ST750</b>

### Metal Drive Cavity Fixings with Screws

Boxed in 100's.

Self-drilling plasterboard fixing, complete with screws.

Driva Size (mm)	Part No.
5	<b>SDM100</b>

### Sleeve Anchor Masonry Fixings

A versatile anchor for general purpose applications into medium duty concrete, brickwork and stone.

M8's are boxed in 50's, M10's are boxed in 25's.

Anchor Size (mm)	Part No.
M8 x 65	<b>SA866</b>
M8 x 85	<b>SA875</b>
M10 x 80	<b>SA1070</b>

### Drop-in Wedge Anchors

Provides a strong, permanent and re-usable female thread when used in concrete or stone.

Has a threaded steel socket and captive wedge.

Once the anchor is in situ it can be expanded by driving the wedge into the socket with the wedge setting tool.

M6 & M8's are boxed in 100's, M10's are boxed in 50's.

Anchor Size (mm)	Part No.
------------------	----------

#### Drop-in Wedge Anchors

M6 x 25	<b>SWA625</b>
M8 x 30	<b>SWA830</b>
M10 x 40	<b>SWA1040</b>
Size (mm)	Part No.

#### Wedge Anchors Setting Tools

M6	<b>SST1</b>
M8	<b>SST2</b>
M10	<b>SST3</b>

### Shield Anchor Projecting Bolts

For use in concrete, stone, rock and brick.

Hole tolerant, ideal for wall or overhead fixing.

All steel construction.

M8's are boxed in 50's, M10's are boxed in 30's.

Anchor Size (mm)	Part No.
M8 x 10	<b>SPB810</b>
M10 x 15	<b>SPB1015</b>

### Shield Anchor Loose Bolts

Ideal for fixing heavy machines, fans, industrial doors and switchgear.

Four segment shield for even expansion.

All steel construction.

M6's boxed in 100's, M8's boxed in 50's, M10's boxed in 30's.

Anchor Size (mm)	Part No.
M6 x 10	<b>SLB610</b>
M8 x 10	<b>SLB810</b>
M10 x 10	<b>SLB1010</b>

### Capping Nails

Boxed in 100's.

Ideal for PVC or steel channelling.

Comes complete with a washer.

Nail Size (mm)	Part No.
2.5 x 25	<b>SCAP25</b>
2.5 x 30	<b>SCAP30</b>
2.5 x 35	<b>SCAP35</b>



FIXINGS, CABLE CLIPS AND CABLE TIES

### Wall Plugs Deluxe

Robust material for quick fixing.  
Packed in 100's.

Colour	Part No.
Yellow	<b>SYP</b>
Red	<b>SRP</b>
Brown	<b>SBP</b>

### Wall Plugs

Packed loose for easy use.  
Packed in 100's.

Colour	Part No.
Yellow	<b>SCYP</b>
Red	<b>SCRIP</b>
Brown	<b>SCBP</b>

### Twin and Earth FlexiClips - Grey

Flexible design to grip cable before fixing for fast installation of round and flat cable.

Highest quality steel and plastic construction.

Moulded in quality virgin material.

Can withstand high impact plus extremes of heat and cold: -40°C to +80°C.

Packed in 100's.

Cable Size (mm <sup>2</sup> )	Part No.
1.0 - 1.5	<b>SKF15</b>
1.5 - 2.5	<b>SKF25</b>
4.0 - 6.0	<b>SKF60</b>

### Cable Clips

Highest quality steel and plastic construction.

Moulded in quality virgin material.

Can withstand high impact plus extremes of heat and cold: -40°C to +80°C.

Packed in 100's.

Cable Size (mm <sup>2</sup> )	Part No.
-------------------------------	----------

#### Twin and Earth Clips - Grey

1.0	<b>SCKF10G</b>
1.5	<b>SCKF15G</b>
2.5	<b>SCKF25G</b>
4.0	<b>SCKF40G</b>
6.0	<b>SCKF60G</b>

#### Round Clips - White

5 - 6	<b>SCRC56W</b>
6 - 7	<b>SCRC67W</b>
7 - 8	<b>SCRC78W</b>
9 - 11	<b>SCRC911W</b>

### Flexi Round Cable Clips

Flexible design to grip cable before fixing for fast installation of flat cable, nail manufactured from the highest quality steel and clip moulded from quality virgin material.

Can withstand high impact plus extremes of heat and cold -40°C to +80°C.

Packed in 100's.

Cable Size (mm <sup>2</sup> )	Clip Colour	Part No.
5 - 7	White	<b>SRC57</b>
7 - 10	White	<b>SRC71</b>
7 - 10	Black	<b>SRC72</b>
7 - 10	Brown	<b>SRC73</b>

### Cable Ties - Nylon

100 pack size.

Nylon 6/6 material.

UL94 /V2 flammability rating.

Mil spec 23190 E.

Suitable for -40°C to +85°C.

Cable Size (mm <sup>2</sup> )	Width (mm)	Part No.
-------------------------------	------------	----------

#### Black

100	2.5	<b>SCH100MB</b>
140	3.6	<b>SCH140IB</b>
200	4.8	<b>SCH200SB</b>
300	4.8	<b>SCH300SB</b>
370	4.8	<b>SCH370SB</b>
370	7.8	<b>SCH370HB</b>

#### Natural

100	2.5	<b>SCH100MN</b>
140	3.6	<b>SCH140IN</b>
200	4.8	<b>SCH200SN</b>
300	4.8	<b>SCH300SN</b>
370	4.8	<b>SCH370SN</b>

Small Mount

Large Mount

#### Red

200	4.8	<b>SCH200SR</b>
300	4.8	<b>SCH300SR</b>

### Cable Ties - Stainless Steel Roller - Ball

AISI 316 stainless steel.

Unique ball-locking mechanism for quick and easy installation.

Corrosion resistant.

Tool for tensioning and cutting of tail leaving a flush fitting.


100 pack size.

Length (mm <sup>2</sup> )	Width (mm)	Part No.
201	4.6	<b>SSSTRB201-4.6</b>
266	4.6	<b>SSSTRB266-4.6</b>
362	4.6	<b>SSSTRB362-4.6</b>
521	7.9	<b>SSSTRB521-7.9</b>

#### Cutting Tool for Stainless Steel Ties

**SSSTCT1**

## GENERAL PURPOSE TAPES, SAFETY PLATES & CHAIN



GENERAL PURPOSE TAPES, SAFETY PLATES & CHAIN



### Gaffer Tape

For general purpose sealing and binding ideal for heating and ventilation ducting applications.  
Silver / Grey tape 50mm x 50m reel.

Description	Part No.
Gaffer Tape	<b>SGT5050</b>

### Self Amalgamation Tape

Provides a strong weatherproof joint which insulates and prevents corrosion.  
It gradually amalgamates (or flows into itself).  
Simply stretch the tape and wrap around cables, pipes etc.  
10m x 19mm tapes.

Description	Part No.
Tape	<b>SAT1910</b>

### Safety Plates

A galvanised steel plate with its own fixings.  
Protects wires and pipes hidden in floors, walls and ceilings.  
Simple, inexpensive, easy and quick to fit.  
No screws or nails needed. One piece assembly.  
Assists with compliance to IEE regulations.  
Meets NHBC requirements specified by councils and architects.

Description	Part No.
Pack of 100 - 52mm x 76mm	<b>SSP1</b>
Pack of 50 - 52mm x 152mm	<b>SSP2</b>
Pack of 75 - 52mm x 100mm	<b>SSP3</b>

### Jack Chain

Manufactured in 10 metre hanks.  
Available in Pre-Galvanised or Black.

Size	Part No.
<b>Pre-Galvanised</b>	
No.10	<b>SJC10G</b>
No.8	<b>SJC8G</b>
<b>Black</b>	
No.10	<b>SJC10B</b>
No.8	<b>SJC8B</b>



### Filler, Sealant, Lubricant & Adhesive

#### Acrylic Filler Cartridge:

Permanently flexible, Mould resistant, 295ml.

#### Silicone Sealant Cartridge:

Multi purpose, Flexible with a durable weather tight seal, 295ml.

#### Grip Adhesive Cartridge:

Solvent free, Multi purpose, 295ml.

Colour	Part No.
<b>Acrylic Filler Cartridge</b>	
White	<b>S69FILL12</b>
<b>Silicone Sealant Cartridge</b>	
White	<b>S69SEAL12</b>
Clear	<b>S69SEALC12</b>
<b>Grip Adhesive Cartridge</b>	
White	<b>S69TG12</b>

### Cartridge Gun

For use with all Sector cartridges.

Description	Part No.
Cartridge Gun	<b>S69TGG</b>

### Maintenance Spray

Stops squeaks and drives out moisture. Loosens rusted parts and frees sticky mechanisms.

Cleans, protects, lubricates and damp proofs. 400ml can.

Description	Part No.
Maintenance Spray	<b>SWDS</b>

### Foam Filler

Ideal for fixing window & door frames, loose tiles, boards etc.

For use in sealing openings in brickwork, plaster etc.

Bonds a wide range of substances even when damp. Can be cut, sawn or painted once set. 500ml can.

Description	Part No.
Foam Filler	<b>S69FOAM12</b>

### Dust Sheet

100% cotton.

Tough and highly absorbent.

Designed for professional use.

Description	Part No.
12ft x 9ft Dust Sheet	<b>CLOW796</b>